

D E C K O


D O O R S



---

Garden Hybrid

# FEATURES



Made-to-measure available

# PERFORMANCE



STANDARD	AIR INFILTRATION EXFILTRATION	WATER RESISTANCE	DESIGN PRESSURE	PRIMARY DESIGNATOR
AAMA/WDMA/CSA 101/I.S.2/A440-11	A3	400 Pa (8,35 psf)	3120 Pa (65 psf)	R-PG55-SD 1785 X 2055 mm (~ 70 X 81")


# OPTIONS

## INTEGRATED BLINDS



With this option, blinds are inserted between the two panels of glass. In addition to filtering out the sun and giving you more privacy, the system is maintenance free. Simply choose your colour!

## PAINT



Doors can be painted to your interior and exterior colour specifications.


## BRICK MOULD



1 1/2" wide aluminum brick mould with a 1 1/8" projection.

PVC brick mould with a 1 1/8" projection available in 1 1/2" and 4" widths.

## GRILLS



The colours illustrated in this brochure are for illustration only and may differ from actual colours. Some options are not available on all doors.

ENERGY-EFFICIENT DOUBLE-PANE GLASS CLEAR OR ENERGY-EFFICIENT TRIPLE-PANE GLASS



7/8" sealed unit



1 1/4" sealed unit

CONTEMPORARY  
EURO HANDLES

CONTEMPORARY  
9100 HANDLE

EURO  
HANDLES



White



Satin  
Nickel



Black



Exterior



Interior



Brass



Bright  
Chrome



Brushed  
Chrome



Black  
Nickel



Dark  
Oil-Rubbed  
Bronze



Antique  
Brass



Satin  
Nickel

KEY LOCK



SECURITY BAR



MULTIPOINT HANDLE



FOOT LOCK



EMBOSSED  
TERRACE PANELS



FAKE  
MULLIONS



SIDELIGHT  
AND TRANSOMS



# DIMENSIONS

## Garden Hybrid

WIDTH	2 LIGHTS				3 LIGHTS			4 LIGHTS	
	5'**	6'**	7'	8'	9'**	10'	12'	9'**	12'**
HEIGHT 81''** 2,057 mm	XO/OX 58 5/8'' 1,489 mm	XO/OX 70 5/8'' 1,794 mm	XO/OX 82 5/8'' 2,099 mm	XO/OX 94 5/8'' 2,403 mm	OXO 107 1/2'' 2,731 mm	OXO 125 1/2'' 3,188 mm	OXO 143 1/2'' 3,645 mm	OXXO 115 1/8'' 2,923 mm	OXXO 139 1/8'' 3,533 mm
					XOO/OOX 107 1/4'' 2,724 mm	XOO/OOX 125 1/4'' 3,181 mm	XOO/OOX 143 1/4'' 3,638 mm		
					XOX 102 3/8'' 2,600 mm	XOX 120 3/8'' 3,057 mm	XOX 138 3/8'' 3,514 mm	XOOX 115'' 2,920 mm	XOOX 139'' 3,530 mm

\*\* Integrated blinds available.

O: fixed X: open



[PORTESDECKO.COM](http://PORTESDECKO.COM)

The manufacturer reserves the right to make changes without notice.

COMPATIBLE PRODUCTS



[SONIPLASTICS.COM](http://SONIPLASTICS.COM)

© 2017 — All rights reserved. 10/2017 version